

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.3 Revision Date 01.06.2023 Print Date 23.06.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium thiosulfate

Product Number : 217263 Brand : SIGALD

REACH No. : 01-2119531537-38-XXXX

CAS-No. : 7772-98-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science UK Limited

New Road

The Old Brickyard GILLINGHAM Dorset

Dorset SP8 4XT

UNITED KINGDOM

Telephone : +44 (0)1747 833-000Fax : +44 (0)1747 833-313

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +44 (0)870 8200418 (CHEMTREC)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

## 2.2 Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

SIGALD- 217263 Page 1 of 12



#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Sodium thiosulphate

Formula :  $Na_2O_3S_2$ Molecular weight : 158.11 g/mol CAS-No. : 7772-98-7 EC-No. : 231-867-5

No components need to be disclosed according to the applicable regulations.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

MERCK

SIGALD- 217263 Page 2 of 12

## 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

Do not store near acids.

Keep in a dry place.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

SIGALD- 217263

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Page 3 of 12



#### 8.2 Exposure controls

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state powderb) Color white

c) Odor No data available

SIGALD- 217263 Page 4 of 12

Merck

The life science business of Merck operates as MilliporeSigma in the US and Canada

No data available Melting point/freezing point e) Initial boiling point No data available and boiling range Flammability (solid, No data available f) gas) g) Upper/lower No data available flammability or explosive limits h) Flash point No data available No data available Autoignition i) temperature

j) Decomposition No data available temperature

k) pH 6.0 - 9.5 at 50 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 210 g/l at 20 °C

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure No data available

p) Density 1.667 g/cm3 at 20 °C

Relative density

No data available

q) Relative vapor

No data available

density
r) Particle

No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

SIGALD- 217263 Page 5 of 12

MERCK

nitrates nitrites peroxi compounds Strong oxidizing agents Violent reactions possible with: Fluorine acids

### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 425)

Remarks: (in analogy to similar compounds)

LC50 Inhalation - Rat - male and female - 4 h - > 2.6 mg/l - aerosol

(OECD Test Guideline 403)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: potassium thiosulphate

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

The value is given in analogy to the following substances: potassium thiosulphate

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium sulphite

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium thiosulphate

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium thiosulphate

Merck

SIGALD- 217263 Page 6 of 12

## Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium thiosulphateTest

Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium thiosulphateTest

Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium

thiosulphateCarcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

### 11.2 Additional Information

## **Endocrine disrupting properties**

### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect

level) - 108 mg/kg

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: sodium metabisulphite

RTECS: XN6476000

SIGALD- 217263 Page 7 of 12

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Therapeutically used substance.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 510 mg/l

- 96 h

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances:

diammonium thiosulphate

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 230 mg/l - 48 h

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances:

diammonium thiosulphate

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances:

diammonium thiosulphate

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances:

diammonium thiosulphate

Toxicity to

flow-through test NOEC - Danio rerio (zebra fish) - >= 316 mg/l -

fish(Chronic toxicity) 34 d

(OECD Test Guideline 210)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium

sulphite

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - > 10 mg/l -

21 d

SIGALD- 217263

Merck

Page 8 of 12

invertebrates(Chronic (OECD Test Guideline 211)

toxicity) Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium

sulphate

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Chemical Oxygen 405 mg/g

Demand (COD) Remarks: (IUCLID)

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

## **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Additional ecological Discharge into the environment must be avoided.

information

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Notice Directive on waste 2008/98/EC.

## **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: - IMDG: - IATA: -

## 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods

SIGALD- 217263 Page 9 of 12

Merck

IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

14.4 Packaging group

ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

IMDG Marine pollutant: no IATA: no ADR/RID: no

## 14.6 Special precautions for user

No data available

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out





Page 10 of 12

SIGALD- 217263

#### **SECTION 16: Other information**

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

SIGALD- 217263 Page 11 of 12



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 217263 Page 12 of 12

